



Listing Of Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended): A dye mixture comprising a reactive dye having at least one structural unit of formula



together with a reactive dye of formula



wherein

(Q₁)₀₋₂ and (Q₂)₀₋₂ each independently of the other denote from 0 to 2 identical or different substituents selected from the group C₁-C₄ alkyl, C₁-C₄ alkoxy and sulfo, and Z₁ and Z₂ are each independently of the other a radical of formula (3a), (3b), (3d), (3e) or (3f)

-SO₂-Y (3a),

-NH-CO-(CH₂)_l-SO₂-Y (3b),

-NH-CO-CH(Hal)-CH₂-Hal (3d),

-NH-CO-C(Hal)=CH₂ (3e),

or



wherein

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl,

Hal is bromine,

R_{1a} is hydrogen,

l is the number 2 or 3,

X₁ is fluorine or chlorine,

T₁ is C₁-C₄ alkoxy, C₁-C₄ alkylthio, hydroxy, amino, N-mono- or N,N-di-C₁-C₄ alkylamino unsubstituted or substituted in the alkyl moiety or moieties by hydroxy, sulfato or by sulfo, morpholino, or phenylamino or N-C₁-C₄ alkyl-N-phenylamino (wherein the alkyl is unsubstituted or substituted by hydroxy, sulfo or by sulfato) each unsubstituted or substituted in the phenyl ring by sulfo, carboxy, acetylamino, chlorine, methyl or by methoxy, or naphthylamino unsubstituted or substituted by from 1 to 3 sulfo groups, or T₁ is a fibre-reactive radical of formula (4a'), (4b'), (4c'), (4d') or (4f')

-NH-(CH₂)₂₋₃-SO₂Y (4a'),




or



wherein

Y is as defined above, and

Y₁ is a group —CH(Br)—CH₂—Br or —C(Br)=CH₂.




wherein

~~(Q₁)₀₋₃ and (Q₂)₀₋₃ each independently of the other denote from 0 to 3 identical or different substituents selected from the group halogen, C₁–C₄ alkyl, C₁–C₄ alkoxy, carboxy and sulfo;~~

~~Z₁ and Z₂ are each independently of the other a fibre reactive radical;~~

at least one fibre-reactive radical being contained in the dye of formula (1) and
 the dye of formula (2) containing at least one fibre-reactive radical Z_1 or Z_2 .


2. (original): A dye mixture according to claim 1, wherein the reactive dye having at least one structural unit of formula (1) corresponds to a dye of formula




wherein

D_1 , D_2 and D_3 are each independently of the others the radical of a diazo component of the benzene or naphthalene series, wherein at least one of the radicals D_1 , D_2 and D_3 contains a fibre-reactive radical.

3. (previously presented): A dye mixture according to claim 2, wherein D_1 , D_2 and D_3 each independently of the others correspond to a radical of formula (5) or (6)



or




wherein

K is the radical of a coupling component of formula (7a) or (7b)




or



and

Z₃ and Z₄ are each independently of the other a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f)





wherein

R_{1a} and R₂ are hydrogen,


Hal is bromine,

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl,

T₁ is C₁-C₄ alkoxy, C₁-C₄ alkylthio, hydroxy, amino, N-mono- or N,N-di-C₁-C₄ alkylamino unsubstituted or substituted in the alkyl moiety or moieties by hydroxy, sulfato or by sulfo, morpholino, or phenylamino or N-C₁-C₄ alkyl-N-phenylamino (wherein the alkyl is unsubstituted or substituted by hydroxy, sulfo or by sulfato) each unsubstituted or substituted in the phenyl ring by sulfo, carboxy, acetylamino, chlorine, methyl or by methoxy, or naphthylamino unsubstituted or substituted by from 1 to 3 sulfo groups, or is a fibre-reactive radical of formula (4b'), (4c') or (4d')



or



and Y is as defined above,

X₁ is chlorine or fluorine,



m and l are each independently of the other the number 2 or 3,



(R₄)₀₋₃ and (Q₃)₀₋₃ each independently of the other denote from 0 to 3 identical or different substituents selected from the group halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, carboxy and sulfo,

R'₅ is hydrogen, sulfo or C₁-C₄ alkoxy unsubstituted or substituted in the alkyl moiety by hydroxy or by sulfato, and


R'_{5a} is hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, C₂-C₄ alkanoylamino, ureido or a radical of formula (3f) wherein the radicals R_{1a}, T₁ and X₁ are as defined above.

4. (previously presented): A dye mixture according to claim 2, wherein the radicals D₁, D₂ and D₃ each independently of the others correspond to a radical of formula (5a), (5b), (5c), (5d), (5e) or (6a)





or



wherein

R'₅ is hydrogen, sulfo or ethoxy unsubstituted or substituted in the alkyl moiety by hydroxy or by sulfato,

R'_{5a} is hydrogen, methyl, ethyl, methoxy, ethoxy, acetylamino, propionylamino or ureido,

(Q₃)₀₋₂ denotes from 0 to 2 identical or different substituents selected from the group

C₁-C₄ alkyl, C₁-C₄ alkoxy and sulfo,

Y₁ is a group -CH(Br)-CH₂-Br or -C(Br)=CH₂,


Y is vinyl, beta-chloroethyl or beta-sulfatoethyl, and

m is the number 2 or 3.


5. (canceled):

6. (canceled):

7. (previously presented): A dye mixture according to claim 1, comprising a dye of formula



together with a dye of formula




wherein

D₁, D₂ and D₃ are each independently of the others a radical of formula (5a), (5b) or (6a)



or



wherein

R₅ is hydrogen, sulfo or ethoxy unsubstituted or substituted in the alkyl moiety by hydroxy or by sulfato,

R'_{5a} is hydrogen, methyl, ethyl, methoxy, ethoxy, acetylamino, propionylamino or ureido,

(Q₁)₀₋₂, (Q₂)₀₋₂ and (Q₃)₀₋₂ each independently of the other denote from 0 to 2 identical or different substituents selected from the group C₁-C₄ alkyl, C₁-C₄ alkoxy and sulfo,

Y is vinyl or beta-sulfatoethyl, and

Z₁ and Z₂ are each independently of the other a radical of formula (3a), (3b), (3e), (3d), (3e) or (3f)





or



wherein

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl,

Hal is bromine,

R_{1a} and R₂ are is hydrogen,

~~l and m are each independently of the other~~ is the number 2 or 3,

X₁ is fluorine or chlorine, and

T₁ is a fibre-reactive radical of formula (4b'), (4c') or (4d')




or



wherein

Y is as defined above.

8. (previously presented): A dye mixture according to claim 1, which additionally comprises a dye of formula



wherein

R₆ and R₇ are each independently of the other hydrogen or C₁-C₄ alkyl, and

D₆ and D₇ are each independently of the other the radical of a diazo component of the benzene or naphthalene series.

9. (cancelled):

10. (cancelled):

11. (original): An aqueous ink comprising a dye mixture according to claim 1.

12. (cancelled):

13. (cancelled):